




Sistema **NEM 155** System **NEM 155**

Apertura a ribalta anteriore per vetri lineari temprati
Tilt forward opening system for linear tempered glass




SCALA/SCALE
1:1

35° (*)


A technical drawing of a mechanical part, possibly a bracket or a support, shown in a 3D perspective view. The drawing is overlaid on a grid. A specific angle of 35 degrees is highlighted with an arc and an arrow pointing to it. The angle is labeled '35° (*)'. The drawing shows various lines representing the edges and surfaces of the part.

(*) Il sistema prevede un angolo di apertura standard pari a 35°. Il kit opzionale di regolazione di apertura, codice 155.0003.00, permette di portare l'apertura a 30° e a 28°, per meglio rispondere alle specifiche esigenze del cliente.


(*) This system has a standard opening angle of 35°. The optional opening adjusting kit (code 155.0003.00) allows you to set it to either 30° or 28°, in order to meet any specific need.





Sistema **155**
System **155**




SCALA/SCALE
1:5



SCALA/SCALE
1:5





Meccanica completa, escluso pistone
Complete device, without gas spring

Cod. 155.1410.00

meccanica completa
complete device
d. 155.1410.00

Viti di fissaggio (non fornite)
Fixing screws (not supplied)

Te
Su

ne